

**Bering Sea Aleutian Islands Catch Report
(includes CDQ)**

Through: 13-SEP-08

**National Marine Fisheries Service
Alaska Region, Sustainable Fisheries
Catch Accounting**




Bering Sea

| Sea- sons | Account | Total Catch | Quota | Remaining Quota | % Taken | Last Wk Catch |
|--------------|--------------------------------------------------------|-------------|---------|--------------------|---------|------------------|
| | Other Rockfish (includes CDQ) | 178 | 383 | 205 | 47% | 6 |
| | Pacific Ocean Perch (includes CDQ) | 438 | 3,570 | 3,132 | 12% | 8 |
| | Sablefish (Hook-and-Line and Pot) | 517 | 1,144 | 627 | 45% | 1 |
| | Sablefish CDQ (Hook-and-Line and Pot) | 166 | 286 | 120 | 58% | 0 |
| | Sablefish (Trawl) | 137 | 1,216 | 1,079 | 11% | 23 |
| | Sablefish CDQ (Trawl) | 20 | 107 | 87 | 19% | 0 |
| | Greenland Turbot | 1,709 | 1,563 | -146 | 109% | 25 |
| | Greenland Turbot CDQ | 107 | 187 | 80 | 57% | 1 |
| X | Pollock, AFA Inshore | 407,356 | 434,250 | 26,894 | 94% | 8,079 |
| X | Pollock, AFA Catcher Processor | 307,616 | 347,400 | 39,784 | 89% | 8,759 |
| X | Pollock, AFA Mothership | 68,523 | 86,850 | 18,327 | 79% | 2,879 |
| X | Pollock CDQ | 88,163 | 100,000 | 11,837 | 88% | 957 |
| | Pollock, Incidental Catch, non-Bogoslof (includes CDQ) | 23,302 | 31,500 | 8,198 | 74% | 600 |
| | Pollock, Incidental Catch, Bogoslof (includes CDQ) | 9 | 10 | 1 | 91% | 0 |

**Bering Sea Aleutian Islands Catch Report
(includes CDQ)**

Through: 13-SEP-08

**National Marine Fisheries Service
Alaska Region, Sustainable Fisheries
Catch Accounting**



Aleutian Islands

| Sea- sons | Account | Total Catch | Quota | Remaining Quota | % Taken | Last Wk Catch |
|--------------|------------------------------------------|-------------|--------|--------------------|---------|------------------|
| | Other Rockfish (includes CDQ) | 265 | 497 | 232 | 53% | 7 |
| | Pacific Ocean Perch, Eastern | 3,524 | 4,376 | 852 | 81% | 0 |
| | Pacific Ocean Perch, Eastern CDQ | 396 | 524 | 128 | 76% | 0 |
| | Pacific Ocean Perch, Central | 3,346 | 4,456 | 1,110 | 75% | 66 |
| | Pacific Ocean Perch, Central CDQ | 309 | 534 | 225 | 58% | 0 |
| | Pacific Ocean Perch, Western | 5,235 | 6,796 | 1,561 | 77% | 106 |
| | Pacific Ocean Perch, Western CDQ | 350 | 814 | 464 | 43% | 0 |
| | Atka Mackerel, Eastern ICA | 4 | 100 | 96 | 4% | 0 |
| | Atka Mackerel, Eastern (Jig) | 0 | 80 | 80 | 0% | 0 |
| X | Atka Mackerel, Eastern (Trawl) | 8,576 | 15,933 | 7,357 | 54% | 0 |
| | Atka Mackerel, Eastern CDQ | 1,889 | 2,087 | 198 | 91% | 0 |
| X | Atka Mackerel, Central (Trawl) | 11,411 | 21,690 | 10,279 | 53% | 2,424 |
| | Atka Mackerel, Central ICA | 7 | 10 | 3 | 71% | 0 |
| | Atka Mackerel, Central CDQ | 2,156 | 2,600 | 444 | 83% | 208 |
| X | Atka Mackerel, Western (Trawl) | 8,875 | 15,082 | 6,207 | 59% | 2,136 |
| | Atka Mackerel, Western ICA | 3 | 10 | 7 | 34% | 1 |
| | Atka Mackerel, Western CDQ | 1,203 | 1,808 | 605 | 67% | 212 |
| | Sablefish (Hook-and-Line and Pot) | 620 | 1,464 | 844 | 42% | 2 |
| | Sablefish CDQ (Hook-and-Line and Pot) | 117 | 366 | 249 | 32% | 0 |
| | Sablefish (Trawl) | 48 | 519 | 471 | 9% | 0 |
| | Sablefish CDQ (Trawl) | 2 | 46 | 44 | 4% | 0 |
| | Greenland Turbot (includes CDQ) | 604 | 672 | 68 | 90% | 3 |
| X | Pollock | 392 | 15,500 | 15,108 | 3% | 0 |
| X | Pollock CDQ | 0 | 1,900 | 1,900 | 0% | 0 |
| X | Pollock, Incidental Catch (includes CDQ) | 698 | 1,600 | 902 | 44% | 17 |

**Bering Sea Aleutian Islands Catch Report
(includes CDQ)**

Through: 13-SEP-08

**National Marine Fisheries Service
Alaska Region, Sustainable Fisheries
Catch Accounting**



Bering Sea Aleutian Islands

| Sea- sons | Account | Total Catch | Quota | Remaining Quota | % Taken | Last Wk Catch |
|---------------|-------------------------------------------------------|------------------|------------------|--------------------|------------|------------------|
| | Alaska Plaice (includes CDQ) | 14,220 | 42,500 | 28,280 | 33% | 513 |
| | Arrowtooth Flounder | 17,127 | 63,750 | 46,623 | 27% | 594 |
| | Arrowtooth Flounder CDQ | 730 | 8,025 | 7,295 | 9% | 5 |
| | Flathead Sole | 20,349 | 44,650 | 24,301 | 46% | 601 |
| | Flathead Sole CDQ | 376 | 5,350 | 4,974 | 7% | 21 |
| | Northern Rockfish (includes CDQ) | 1,955 | 7,567 | 5,612 | 26% | 468 |
| | Other Flatfish (includes CDQ) | 3,445 | 18,360 | 14,915 | 19% | 38 |
| | Other Species (includes CDQ) | 21,732 | 42,500 | 20,768 | 51% | 926 |
| X | Pacific Cod, Catcher Processor (AFA) | 4,554 | 3,506 | -1,048 | 130% | 57 |
| X | Pacific Cod, Catcher Processor (Amendment 80) | 12,657 | 20,429 | 7,772 | 62% | 404 |
| X | Pacific Cod, Catcher Vessel (Trawl) | 30,498 | 33,692 | 3,194 | 91% | 82 |
| X | Pacific Cod, Catcher Processor (Hook-and-Line) | 53,530 | 73,844 | 20,314 | 72% | 3,040 |
| X | Pacific Cod, Catcher Vessel (Hook-and-Line >= 60 ft) | 0 | 0 | 0 | 0% | 0 |
| X | Pacific Cod, Catcher Processor (Pot) | 1,853 | 2,274 | 421 | 81% | 354 |
| X | Pacific Cod, Catcher Vessel (Pot >= 60 ft) | 8,272 | 12,737 | 4,465 | 65% | 950 |
| X | Pacific Cod (Jig) | 169 | 260 | 91 | 65% | 0 |
| | Pacific Cod (Hook-and-Line and Pot < 60 ft) | 4,656 | 5,210 | 554 | 89% | 39 |
| | Pacific Cod, Incidental Catch (Hook-and-Line and Pot) | 281 | 500 | 219 | 56% | 13 |
| X | Pacific Cod CDQ | 13,148 | 18,267 | 5,119 | 72% | 14 |
| | Rock Sole | 46,770 | 66,975 | 20,205 | 70% | 376 |
| | Rock Sole CDQ | 1,903 | 8,025 | 6,122 | 24% | 1 |
| | Rougheye Rockfish (includes CDQ) | 148 | 187 | 39 | 79% | 2 |
| | Shortraker Rockfish (includes CDQ) | 105 | 392 | 287 | 27% | 1 |
| | Squid (includes CDQ) | 1,511 | 1,675 | 164 | 90% | 12 |
| | Yellowfin Sole | 105,155 | 200,925 | 95,770 | 52% | 2,995 |
| | Yellowfin Sole CDQ | 6,309 | 24,075 | 17,766 | 26% | 0 |
| Total: | | 1,319,723 | 1,813,605 | 493,882 | 73% | 38,026 |

Other flatfish: all flatfish species, except for Pacific halibut, flathead sole, Greenland turbot, rock sole, yellowfin sole, arrowtooth flounder, and Alaska plaice.

Other rockfish: all Sebastes and Sebastolobus species except for Pacific ocean perch, northern, shortraker, and rougheye rockfish.

Other species: sculpins, sharks, skates, and octopus.

For changes to the harvest specifications refer to www.fakr.noaa.gov/2008/hschanges.htm