

FMP Species Species Code		Product Code							
		32 Meal	33 Oil	34 Milt	35 Stomachs	36 Mantles	37 Butterfly Backbone Removed	88, 89 Infested or Decomposed Fish	98, 99 Discards
Pacific Cod	110	0.17	---	---	---	---	0.43	0.00	1.00
Arrowtooth Flounder	121	0.17	---	---	---	---	---	0.00	1.00
Flathead Sole	122	0.17	---	---	---	---	---	0.00	1.00
Rock Sole	123	0.17	---	---	---	---	---	0.00	1.00
Dover Sole	124	0.17	---	---	---	---	---	0.00	1.00
Rex Sole	125	0.17	---	---	---	---	---	0.00	1.00
Yellowfin Sole	127	0.17	---	---	---	---	---	0.00	1.00
Greenland Turbot	134	0.17	---	---	---	---	---	0.00	1.00
Thornyhead Rockfish	143	0.17	---	---	---	---	---	0.00	1.00
Sculpins	160	0.17	---	---	---	---	---	0.00	1.00
Atka Mackerel	193	0.17	---	---	---	---	---	0.00	1.00
Pollock	270	0.17	---	---	---	---	0.43	0.00	1.00
Smelts	510	0.17	---	---	---	---	---	0.00	1.00
Eulachon	511	0.17	---	---	---	---	---	0.00	1.00
Capelin	516	0.17	---	---	---	---	---	0.00	1.00
Sharks	689	0.17	---	---	---	---	---	0.00	1.00
Skates	700	0.17	---	---	---	---	---	0.00	1.00
Sablefish	710	0.17	---	---	---	---	---	0.00	1.00
Octopus	870	0.17	---	---	---	0.85	---	0.00	1.00
Squid	875	0.17	---	---	---	0.75	---	0.00	1.00
Rockfish	---	---	---	---	---	---	---	0.00	1.00
PACIFIC HALIBUT Conversion Rates to Net Weight	200	---	---	---	---	---	---	0.00	0.75

¹Standard pollock surimi rate during January through June

²Standard pollock surimi rate during July through December.

Notes: To obtain round weight of groundfish, divide the product weight of groundfish by the table PRR.

To obtain IFQ net weight of Pacific halibut, multiply the product weight of halibut by the table conversion rate.

To obtain round weight from net weight of Pacific halibut, divide net weight by 0.75 or multiply by 1.33333.