

TABLE 2.—FINAL 2007 ABCS, TACS, AND OVERFISHING LEVELS OF GROUND FISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/WYK), WESTERN (W), CENTRAL (C) EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA

[Values are rounded to the nearest metric ton]

Total	Species	Area ¹	ABC	TAC	Overfishing level
Subtotal	Pollock ²	Shumagin (610)	23,022	23,022	n/a
		Chirikof (620)	24,275	24,275	n/a
		Kodiak (630)	14,687	14,687	n/a
		WYK (640)	1,426	1,426	n/a
		W/C/WYK	63,410	63,410	89,500
Total	Pollock ²	SEO (650)	6,157	6,157	8,209
			69,567	69,567	97,709
Total	Pacific cod ³	W	19,292	14,469	n/a
		C	27,206	20,405	n/a
		E	2,968	2,671	n/a
			49,466	37,545	59,100
Total	Flatfish ⁴ (deep-water)	W	421	421	n/a
		C	4,145	4,145	n/a
		WYK	2,665	2,665	n/a
		SEO	1,446	1,446	n/a
		8,677	8,677	11,022	
Total	Rex sole	W	1,096	1,096	n/a
		C	5,207	5,207	n/a
		WYK	992	992	n/a
		SEO	1,405	1,405	n/a
		8,700	8,700	11,400	
Total	Flathead sole	W	10,932	2,000	n/a
		C	26,111	5,000	n/a
		WYK	2,096	2,096	n/a
		SEO	57	57	n/a
		39,196	9,153	48,763	
Total	Flatfish ⁵ (shallow-water)	W	24,720	4,500	n/a
		C	27,258	13,000	n/a
		WYK	628	628	n/a
		SEO	1,844	1,844	n/a
		51,450	19,972	62,418	
Total	Arrowtooth flounder	W	21,011	8,000	n/a
		C	140,640	25,000	n/a
		WYK	16,632	2,500	n/a
		SEO	7,120	2,500	n/a
		185,403	38,000	216,500	
	Sablefish ⁶	W	2,360	2,360	n/a

TABLE 2.—FINAL 2007 ABCs, TACs, AND OVERFISHING LEVELS OF GROUND FISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/WYK), WESTERN (W), CENTRAL (C) EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA—Continued

[Values are rounded to the nearest metric ton]

Total	Species	Area ¹	ABC	TAC	Overfishing level
		C	5,630	5,630	n/a
		WYK	2,014	2,014	n/a
		SEO	3,116	3,116	n/a
Subtotal		E	5,130	5130	n/a
Total			13,120	13,120	15,800
	Pacific ocean perch ⁷	W	4,290	4,290	4,997
		C	7,660	7,660	8,923
		WYK	1,137	1,137	n/a
		SEO	1,639	1,639	n/a
Subtotal		E			3,232
Total			14,726	14,726	17,152
	Shortraker rockfish ⁸	W	153	153	n/a
		C	353	353	n/a
		E	337	337	n/a
Total			843	843	1,124
	Rougheye rockfish ⁹	W	133	133	n/a
		C	596	596	n/a
		E	235	235	n/a
Total			964	964	1,161
	Other rockfish ^{10 11}	W	577	577	n/a
		C	386	386	n/a
		WYK	317	317	n/a
		SEO	2,872	200	n/a
Total			4,152	1,480	5,394
	Northern rockfish ^{11 12}	W	1,483	1,483	n/a
		C	3,608	3,608	n/a
		E	0	0	n/a
Total			5,091	5,091	7,618
	Pelagic shelf rockfish ¹³	W	1,463	1,463	n/a
		C	3,318	3,318	n/a
		WYK	306	306	n/a
		SEO	443	443	n/a
Total			5,530	5,530	6,779
	Thornyhead rockfish	W	513	513	n/a
		C	989	989	n/a
		E	707	707	n/a
Total			2,209	2,209	2,945
	Big skates ¹⁴	W	695	695	n/a
		C	2,250	2,250	n/a
		E	599	599	n/a
Total			3,544	3,544	4,726
	Longnose skates ¹⁵	W	65	65	n/a
		C	1,969	1,969	n/a
		E	861	861	n/a
Total			2,895	2,895	3,860
	Other skates ¹⁶	GW	1,617	1,617	2,156
	Demersal shelf rockfish ¹⁸	SEO	410	410	650
	Atka mackerel	GW	4,700	1,500	6,200
	Other species ^{17 19}	GW	n/a	12,229	n/a

TABLE 2.—FINAL 2007 ABCS, TACS, AND OVERFISHING LEVELS OF GROUND FISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/WYK), WESTERN (W), CENTRAL (C) EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA—Continued

[Values are rounded to the nearest metric ton]

Total	Species	Area ¹	ABC	TAC	Overfishing level
Total ²⁰	472,260	257,772	582,477

¹ Regulatory areas and districts are defined at § 679.2.

² Pollock is apportioned in the Western/Central Regulatory Areas among three statistical areas. During the A season, the apportionment is based on an adjusted estimate of the relative distribution of pollock biomass of approximately 22 percent, 57 percent, and 21 percent in Statistical Areas 610, 620, and 630, respectively. During the B season, the apportionment is based on the relative distribution of pollock biomass at 22 percent, 69 percent, and 9 percent in Statistical Areas 610, 620, and 630, respectively. During the C and D seasons, the apportionment is based on the relative distribution of pollock biomass at 53 percent, 15 percent, and 32 percent in Statistical Areas 610, 620, and 630, respectively. These seasonal apportionments for 2006 and 2007 are shown in Tables 5 and 6. In the West Yakutat and Southeast Outside Districts of the Eastern Regulatory Area, pollock is not divided into seasonal allowances.

³ The annual Pacific cod TAC is apportioned 60 percent to an A season and 40 percent to a B season in the Western and Central Regulatory Areas of the GOA. Pacific cod is allocated 90 percent for processing by the inshore component and 10 percent for processing by the offshore component. Seasonal apportionments and component allocations of TAC for 2006 and 2007 are shown in Tables 7 and 8.

⁴ “Deep water flatfish” means Dover sole, Greenland turbot, and deepsea sole.

⁵ “Shallow water flatfish” means flatfish not including “deep water flatfish”, flathead sole, rex sole, or arrowtooth flounder.

⁶ Sablefish is allocated to trawl and hook-and-line gears for 2006 and to trawl gear in 2007 these amounts are shown in Tables 3 and 4.

⁷ “Pacific ocean perch” means *Sebastes alutus*.

⁸ “Shortraker rockfish” means *Sebastes borealis*.

⁹ “Rougheye rockfish” means *Sebastes aleutianus*.

¹⁰ “Other rockfish” in the Western and Central Regulatory Areas and in the West Yakutat District means slope rockfish and demersal shelf rockfish. The category “other rockfish” in the SEO District means slope rockfish.

¹¹ “Slope rockfish” means *Sebastes aurora* (aurora), *S. melanostomus* (blackgill), *S. paucispinis* (bocaccio), *S. goodei* (chilipepper), *S. crameri* (darkblotch), *S. elongatus* (greenstriped), *S. variegatus* (harlequin), *S. wilsoni* (pygmy), *S. babcocki* (redbanded), *S. proriger* (redstripe), *S. zacentrus* (sharpchin), *S. jordani* (shortbelly), *S. brevispinis* (silvergry), *S. diploproa* (splitnose), *S. saxicola* (stripetail), *S. miniatus* (vermilion), and *S. reedi* (yellowmouth). In the Eastern Regulatory Area only, slope rockfish also includes northern rockfish, *S. polyspinis*.

¹² “Northern rockfish” means *Sebastes polyspinis*.

¹³ “Pelagic shelf rockfish” means *Sebastes ciliatus* (dark), *S. variabilis* (dusky), *S. entomelas* (widow), and *S. flavidus* (yellowtail).

¹⁴ Big skate means *Raja binoculata*.

¹⁵ Longnose skate means *Raja rhina*.

¹⁶ Other skates means *Bathyrja* spp.

¹⁷ N/A means not applicable.

¹⁸ “Demersal shelf rockfish” means *Sebastes pinniger* (canary), *S. nebulosus* (china), *S. caurinus* (copper), *S. maliger* (quillback), *S. helvomaculatus* (rosethorn), *S. nigrocinctus* (tiger), and *S. ruberrimus* (yelloweye).

¹⁹ “Other species” means sculpins, sharks, squid, and octopus. There is no OFL or ABC for “other species”, the TAC for “other species” equals 5 percent of the TACs for assessed target species.

²⁰ The total ABC and OFL is the sum of the ABCs and OFLs for assessed target species.